

Acessando MySQL com o AppInventor

Prof. Me. Sérgio Carlos Portari Júnior

Blocos no Appinventor - entrou


The screenshot displays the MIT App Inventor web interface. At the top, the browser address bar shows the URL `10.1.1.110:8888/?locale=pt#4591560557592576`. The page header includes the MIT App Inventor logo and navigation links such as "Projetos", "Conectar", "Compilar", "Ajuda", "Administrador", "Os Meus Projetos", "Guia", "Reportar um problema", "Português", and "portari".

The main interface is divided into two panels: "Blocos" (Blocks) on the left and "Visualizador" (Visualizer) on the right. The "Blocos" panel shows a tree view of components, including "Internos" (Internal) and "entrou" (Entered). The "Visualizador" panel displays a Scratch-style block editor with the following code:

```
inicializar global usuario para criar lista vazia
inicializar global id para ""
inicializar global usr para ""
inicializar global pwd para ""
quando entrou .Inicializar
fazer
  ajustar global usuario para de linha csv para lista texto obter valor inicial
  ajustar global id para select list item list obter global usuario
  index 2
  ajustar global usr para select list item list obter global usuario
  index 3
  ajustar global pwd para select list item list obter global usuario
  index 4
```

At the bottom of the "Visualizador" panel, there is a "Mostrar Avisos" (Show Warnings) button with a warning icon and a count of 0. The interface also features a "Bolsa" (Backpack) icon on the right side of the visualizer.

Blocos no Appinventor - entrou



The screenshot displays the App Inventor web interface. At the top, the browser address bar shows the URL "#4591560557592576". The interface includes a navigation bar with "Meus Projetos", "Guia", and "Reportar um problema". The main area is divided into two sections: a preview window and a components palette.


Preview Window: The preview shows a mobile app titled "Inserir Usuário". It features a form for "Dados do novo usuário" with fields for "Nome:", "Senha:", and "Confirmação:". Below the form are two buttons: "Cancelar" (red) and "Gravar usuário" (green). The status bar at the top of the preview shows the time as 9:48 and various icons. At the bottom, there is a navigation bar with back, home, and recent apps icons.

Componentes (Components): The right-hand side shows a list of components. The "entrou" component is selected and expanded, showing a hierarchy of sub-components: "Legenda1", "OrganizaçãoEmTabela1" (containing "Legenda2", "TXT_nome", "Legenda3", "TXT_senha", "Legenda4", and "TXT_confirma"), "OrganizaçãoHorizontal1" (containing "cancelar" and "Gravar"), "Web1", and "Notificador1". At the bottom of the components list are "Renomear" and "Apagar" buttons.

Componentes invisíveis (Invisible Components): At the bottom of the preview window, there is a section for invisible components, showing "Web1" and "Notificador1".

Mídia (Media): At the bottom right, there is a section for media with an "Enviar Arquivo ..." button.


Blocos no Appinventor - entrou




Blocos no Appinventor - entrou




Blocos no Appinventor - entrou



Blocos no Appinventor - entrou



Blocos no Appinventor - entrou



novo_user.php

```
<?php
```

```
include("conexao.php");
```

```
$sql=$conex->query("Insert into usuarios  
values('0','.$_REQUEST['nome_usr'].','.$_REQUEST['senha_usr'].')" );
```

```
if (!$sql)
```

```
    die('Impossível conectar');
```

```
//verifica se foi inserido corretamente
```

```
$sql=$conex->query("SELECT * FROM usuarios where  
usr='".$_REQUEST['nome_usr']."' and  
pwd='".$_REQUEST['senha_usr']."'");
```

```
if (!$sql) {
```

```
    die('Impossível conectar');
```

```
}
```

```
//recupera dados encontrados
```

```
if($row_cnt = $sql->num_rows>0){
```

```
    echo "login_ok,";
```

```
    $fila = $sql->fetch_array(MYSQLI_ASSOC);
```

```
    echo $fila['id'];
```

```
    echo ",";
```

```
    echo $fila['usr'];
```

```
    echo ",";
```

```
    echo $fila['pwd'];
```

```
}
```

```
else{
```

```
    echo "error_login";
```

```
}
```

```
$sql->free();
```

```
$conex->close();
```

```
?>
```

Upload do arquivo PHP

The screenshot shows the ATSPACE.COM file manager interface. A modal dialog titled "Fazer upload de arquivos" is open, displaying a file named "novo_user.php" with a size of 0.7 KiB and a "Remove file" button. Below the dialog, a message states "Tamanho máximo do arquivo para upload: 15 MB." and there are buttons for "Upload file from URL...", "Upload", and "Cancel".

The background interface includes a navigation menu with "Painel de Controle", "Ferramentas de Hospedagem", "Contratar Serviços", "Servidores na nuvem", "Contas", and "Suporte". The user is logged in as "Bem-vindo(a), Sérgio Portari".

On the left, the "Gerenciador de Arquivos" shows a directory structure with folders "uemgfrutal.atspace.cc" and "uemgfrutal.atspace.eu". Below it, a list of files includes "busca_user.php" and "conexao.php".

On the right, there are buttons for "Extrair", "Baixar", and "Atualizar". Below these is a table with columns "Data de Modificação" and "Permissões".

Data de Modificação	Permissões
Apr 8 19:32	drwxr-xr-x (755)
Apr 8 18:28	drwxr-xr-x (755)
Apr 8 17:54	-rwxr-xr-x (755)
Apr 8 17:54	-rwxr-xr-x (755)

At the bottom right, there is a footer message: "Do you speak Portuguese (Brazil)? [Help us translate!](#)"